



Tilia cordata

## Quick-Pots Nettopreise

| Grösse<br>Hauteur | ab 25                  | ab 100                  | ab 250                  |
|-------------------|------------------------|-------------------------|-------------------------|
|                   | Stk.<br>dès 25<br>pcs. | Stk.<br>dès 100<br>pcs. | Stk.<br>dès 250<br>pcs. |

## Quick-Pots

### ACER PSEUDOPLATANUS – Bergahorn – Erable sycamore <sup>Ⓢ</sup>

|     |   |       |      |      |      |
|-----|---|-------|------|------|------|
| A/u | SO/Rechterswil, Erlenmoos, 460 m, Moräne–Molasse    | 25–50 | 2.50 | 2.20 | 2.10 |
| A/u | SO/Riedholz, Bännli, Winterhalde, 540–590 m, Moräne | 25–50 | 2.50 | 2.20 | 2.10 |
| Q/a | FR/St.Ursen, Tannholz 680–700 m, Molasse, N         | 20–40 | 2.40 | 2.10 | 2.00 |
| Q/a | VS/Leukerbad, Bannwald, 900–1000 m, W               | 20–40 | 2.40 | 2.10 | 2.00 |
| A/v | OW/Kerns, Stöckalp, 1020–1100 m, Kalk, N            | 25–50 | 2.50 | 2.20 | 2.10 |
| A/a | SO/Grenchenberg, 1200–1250 m, Vor der Egg, Kalk, S  | 25–50 | 2.50 | 2.20 | 2.10 |
| A/u | SO/Hägendorf, 570 m Müllersbergli, Kalk, S          | 20–40 | 2.40 | 2.10 | 2.00 |

### ACER PLATANOIDES – Spitzahorn – Erable plane <sup>Ⓢ</sup>

|   |  |       |      |      |      |
|---|--|-------|------|------|------|
| Q | SO/Hägendorf, Armenbünten, 570 m, Kalk | 15–30 | 2.40 | 2.10 | 2.00 |
|---|--|-------|------|------|------|

### ACER OPALUS – Schneeballblättrige Ahorn – Erable à.f.d'obier <sup>Ⓢ</sup>

|   |                              |       |      |      |  |
|---|------------------------------|-------|------|------|--|
| Q | VS/Aven, 1020 m, Schotter, S | 25–50 | 4.10 | 3.80 |  |
|---|------------------------------|-------|------|------|--|

## Quick-Pots Nettopreise

|  | Grösse<br>Hauteur | ab 25                  | ab 100                  | ab 250                  |
|--|-------------------|------------------------|-------------------------|-------------------------|
|  |                   | Stk.<br>dès 25<br>pcs. | Stk.<br>dès 100<br>pcs. | Stk.<br>dès 250<br>pcs. |

### ACER SACCHARUM – Zuckerahorn – Érable à sucre

|     |       |      |      |      |
|-----|-------|------|------|------|
| EFB | 25–50 | 2.50 | 2.20 | 2.10 |
|     | 40–70 | 2.80 | 2.50 | 2.40 |

### ACER SACCHARINUM – Silberahorn – Erable vert-argenté laciné

|     |       |      |      |      |
|-----|-------|------|------|------|
| EFB | 30–60 | 2.60 | 2.30 | 2.20 |
|     | 50–80 | 3.00 | 2.70 | 2.60 |

### ALNUS GLUTINOSA – Schwarzerle – Aune noir (e)

|  |        |      |      |      |
|--|--------|------|------|------|
| D/80207, Süddeutsches Hügel- und Bergland, 300–600 m | 40–70  | 2.30 | 2.10 | 2.00 |
|  | 60–100 | 2.60 | 2.30 | 2.20 |

### ALNUS INCANA – Weisserle – Aune blanc (e)

|                                  |       |      |      |      |
|----------------------------------|-------|------|------|------|
| D/80302, Alpenvorland, 400–600 m | 50–80 | 2.40 | 2.10 | 2.00 |
|----------------------------------|-------|------|------|------|

### ALNUS VIRIDIS – Grünerle – Aune vert (e)

|     |       |      |      |      |
|-----|-------|------|------|------|
| EFB | 40–70 | 3.60 | 3.40 | 3.20 |
|-----|-------|------|------|------|

### BETULA PENDULA – Birke – Bouleau (e)

|                             |       |      |      |      |
|-----------------------------|-------|------|------|------|
| D/Süddeutschland, 400–600 m | 50–80 | 2.40 | 2.10 | 2.00 |
|-----------------------------|-------|------|------|------|

### BETULA PUBESCENS – Moorbirke – Bouleau pubescent (e)

|     |       |      |      |      |
|-----|-------|------|------|------|
| EFB | 50–80 | 2.40 | 2.10 | 2.00 |
|-----|-------|------|------|------|

### CARYA ILLINOIENSIS – Pecannuss – Pecanier

|     |       |      |      |  |
|-----|-------|------|------|--|
| EFB | 10–20 | 4.90 | 4.40 |  |
|-----|-------|------|------|--|

### CARYA OVATA – Schuppenrinden – Hickory – Caryer ovale

|     |      |      |      |  |
|-----|------|------|------|--|
| EFB | 8–15 | 4.90 | 4.40 |  |
|-----|------|------|------|--|

### CASTANEA SATIVA – Edelkastanie – Châtaigner (e)

|  |      |      |      |      |
|--|------|------|------|------|
| Q/u TI/Maggiatal, Moghegno, 400–600 m            | 15/+ | 3.00 | 2.70 | 2.60 |
| Q TI/Morbio Superiore, Lattecaldo, 600 m, SW     | 15/+ | 3.00 | 2.70 | 2.60 |
| FR/Châtillon les Châtaigniers 500–600 m, Molasse | 15/+ | 3.00 | 2.70 | 2.60 |

## Quick-Pots Nettopreise

|   | Grösse<br>Hauteur | ab 25<br>Stk.<br>dès 25<br>pcs. | ab 100<br>Stk.<br>dès 100<br>pcs. | ab 250<br>Stk.<br>dès 250<br>pcs. |
|---|-------------------|---------------------------------|-----------------------------------|-----------------------------------|
| <b>CARPINUS BETULUS – Hainbuche – Charme</b> (e)              |                   |                                 |                                   |                                   |
| Q/u AG/Lenzburg, Lind, 405–415 m, Schotter                    | 20–40             | 2.40                            | 2.10                              | 2.00                              |
|   | 30–60             | 2.60                            | 2.30                              | 2.20                              |
| A/a SO/Derendingen, Eichholz, 450 m, Molasse, eben            | 25–50             | 2.50                            | 2.20                              | 2.10                              |
| <b>CORYLUS COLURNA – Baumhasel – Noisetier de Byzance</b>     |                   |                                 |                                   |                                   |
| EFB   | 15–30             | 3.20                            | 2.90                              | 2.80                              |
| <b>FAGUS SYLVATICA – Buche – Hêtre</b> (e)                    |                   |                                 |                                   |                                   |
| A/a SO/Biberist, 440–490 m, Hunnenberg, Moräne                | 20–40             | 2.50                            | 2.30                              | 2.10                              |
| <b>FRAXINUS EXCELSIOR – Esche – Frêne</b>                     |                   |                                 |                                   |                                   |
| BE/Seedorf, 525 m   | 15–30             | 2.40                            | 2.10                              | 2.00                              |
| <b>FRAXINUS ORNUS – Blumenesche – Frêne à fleurs</b>          |                   |                                 |                                   |                                   |
| TI/Meride 550–560 m   | 25–50             | 2.80                            | 2.60                              | 2.40                              |
| <b>JUGLANS NIGRA – SCHWARZNUSS – NOYER NOIR</b>               |                   |                                 |                                   |                                   |
| -/e CH/SPL, Otelfingen, Isenbühl, 470–490 m, Moräne, NW       | 15–30             | 3.40                            | 3.10                              | 3.00                              |
| <b>JUGLANS REGIA – Nussbaum – Noyer</b> (e)                   |                   |                                 |                                   |                                   |
| A/e SO/Selzach, Chänelmoos, 540–580 m, Moräne, W              | 10–20             | 3.40                            | 3.10                              | 3.00                              |
|   | 25–50             | 4.10                            | 3.80                              | 3.70                              |
| Sonderherkunft Dachigam–Manschi                               | 15–30             | 3.40                            | 3.10                              | 3.00                              |
| <b>LIRIODENDRON TULIPIFERA–Tulpenbaum – Tulipier</b>          |                   |                                 |                                   |                                   |
| EFB   | 15–30             | 2.80                            | 2.50                              |                                   |
|   | 25–50             | 3.10                            | 2.90                              |                                   |
| <b>MORUS ALBA – weisse Maulbeere – Mûrier blanc</b>           |                   |                                 |                                   |                                   |
| EFB   | 25–50             | 4.10                            | 3.30                              |                                   |
| <b>MORUS NIGRA – schwarze Maulbeere – Mûrier noir</b>         |                   |                                 |                                   |                                   |
| EFB   | 25–50             | 4.10                            | 3.80                              |                                   |
| <b>OSTRIA CARPINIFOLIA – Hopfenbuche – Charme houblon</b> (e) |                   |                                 |                                   |                                   |
| TI/Meride, Crocifissio, 600 m                                 | 20–40             | 3.40                            | 3.10                              | 3.00                              |

## Quick-Pots Nettopreise

|  | Grösse<br>Hauteur | ab 25<br>Stk.<br>dès 25<br>pcs. | ab 100<br>Stk.<br>dès 100<br>pcs. | ab 250<br>Stk.<br>dès 250<br>pcs. |
|--|-------------------|---------------------------------|-----------------------------------|-----------------------------------|
|--|-------------------|---------------------------------|-----------------------------------|-----------------------------------|

### PRUNUS AVIUM – Kirschbaum – Cerisier (E)

|  |       |      |      |      |
|--|-------|------|------|------|
| D/04 West- und Süddeutsches Bergland, 400–700 m          | 30–60 | 2.60 | 2.30 | 2.20 |
| A/u SO/Riedholz, Bännli, 540–590 m                       | 40–70 | 2.80 | 2.50 | 2.40 |
| Sv AG/Wölflinswil, Fricktal, SPL, Schiltmatte, 300–530 m | 30–60 | 2.60 | 2.30 | 2.20 |

### QUERCUS CERRIS – Zerreiche – Chêne Chevelu

|               |       |      |      |      |
|---------------|-------|------|------|------|
| ohne Herkunft | 30–60 | 3.30 | 3.10 | 3.00 |
|---------------|-------|------|------|------|

### QUERCUS PETRAEA – Traubeneiche – Chêne rouvre (E)

|  |       |      |      |      |
|--|-------|------|------|------|
| D/818111, Fränkisches Hügelland, 200–450 m         | 25–50 | 3.10 | 2.90 | 2.80 |
| A/a SO/Olten, Bannwald, 430–470 m, Kalk, S         | 20–40 | 3.00 | 2.80 | 2.70 |
|  | 25–50 | 3.10 | 2.90 | 2.80 |
| A/v AG/Habsburg, Gruebewald, 440–470, Schotter, SE | 25–50 | 3.10 | 2.90 | 2.80 |
| Q/v BE/Erlach                                      | 12–25 | 2.80 | 2.50 | 2.40 |
| Q/a AG/Villigen, Tüeliboden, 460–520 m, Kalk, S    | 15–30 | 2.80 | 2.50 | 2.40 |
|  | 20–40 | 3.00 | 2.80 | 2.70 |
| Q/v AG/Lenzburg, Heideburg, 410–490 m, W           | 15–30 | 2.80 | 2.50 | 2.40 |
|  | 30–60 | 3.30 | 3.10 | 3.00 |
| A/u BL/Hölstein, Schoren, 510–540 m, Kalk          | 25–50 | 3.10 | 2.90 | 2.80 |

### QUERCUS PUBESCENS – Flaumeiche – Chêne pubescent (E)

|  |       |      |      |      |
|--|-------|------|------|------|
| Q/a VS/Leuk, Rutilji, 720–760 m, Moräne, N | 10/+  | 3.10 | 2.80 | 2.70 |
|  | 20–40 | 3.30 | 3.00 | 2.90 |

### QUERCUS ROBUR – Stieleiche – Chêne pédonculé (E)

|   |       |      |      |      |
|---|-------|------|------|------|
| A/a SO/Messen, Junkholz, 540–560 m, Moräne    | 25–50 | 2.80 | 2.60 | 2.50 |
| V/a ZH/Birmensdorf, Rameren, 510–520, Moräne  | 30–60 | 3.00 | 2.80 | 2.70 |
| A/a JU/Bonfol, Bois de l'Essert, 440–455 m    | 20–40 | 2.50 | 2.30 | 2.20 |
|   | 25–50 | 2.80 | 2.60 | 2.50 |
| A/a SO/Messen, Junkholz, 540–560 m, Moräne    | 25–50 | 2.80 | 2.60 | 2.50 |
|   | 30–60 | 3.00 | 2.80 | 2.70 |
| A/a BE/Koppigen, Unterholz, 465 m, Schotter   | 20–40 | 2.50 | 2.30 | 2.20 |
| SO/Derendingen, Eichholz 450 m, Molasse, eben | 25–50 | 2.80 | 2.60 | 2.50 |

### QUERCUS RUBRA – Roteiche – Chêne rouge d'Amérique (E)

|  |       |      |      |      |
|--|-------|------|------|------|
| BE/Koppigen, Geerenwald, 485–495 m, Molasse, S | 12–25 | 2.30 | 2.10 | 2.00 |
|  | 30–60 | 3.00 | 2.80 | 2.70 |

## Quick-Pots Nettopreise

|  | Grösse<br>Hauteur | ab 25<br>Stk.<br>dès 25<br>pcs. | ab 100<br>Stk.<br>dès 100<br>pcs. | ab 250<br>Stk.<br>dès 250<br>pcs. |
|--|-------------------|---------------------------------|-----------------------------------|-----------------------------------|
|--|-------------------|---------------------------------|-----------------------------------|-----------------------------------|

### SORBUS AUCUPARIA – Vogelbeer – Sorbier des oiseleurs (e)

|   |       |      |      |  |
|---|-------|------|------|--|
| Q/a SO/Mittelland, 450–500 m                        | 50–80 | 3.10 | 2.80 |  |
| A/a ZG/Walchwil, Brandflue, 1080–1145 m, Moräne, NW | 40–70 | 2.80 | 2.50 |  |

### SORBUS ARIA – Mehlbeer – Alisier blanc (e)

|  |        |      |      |      |
|--|--------|------|------|------|
| Q/a VS/Leuk, Tschingere, 900–1200 m, W | 25–50  | 4.10 | 3.80 | 3.70 |
|  | 60–100 | 5.00 | 4.70 | 4.60 |
| A/a SO/Hägendorf, 600–650 m, Kalk, S   | 30–60  | 4.60 | 4.30 | 4.20 |
|  | 60–100 | 5.00 | 4.70 | 4.60 |

### SORBUS DOMESTICA – Speierling – Cormier (e)

|                          |       |      |      |      |
|--------------------------|-------|------|------|------|
| Q/a VD/Celigny, 400m, SO | 25–50 | 7.00 | 6.00 | 5.50 |
|--------------------------|-------|------|------|------|

### SORBUS TORMINALIS – Elsbeere – Sorbier torminal (e)

|                                       |       |      |      |      |
|---------------------------------------|-------|------|------|------|
| SH/Schaffhausen, Gwölb, 465 m, Moräne | 25–50 | 7.00 | 6.00 | 5.50 |
|---------------------------------------|-------|------|------|------|

### TILIA CORDATA – Winterlinde – Tilleul à petites feuilles (e)

|  |       |      |      |      |
|--|-------|------|------|------|
| D/80207, Süddeutsches Hügel- und Bergland, 500 m | 20–40 | 2.50 | 2.30 | 2.10 |
| BE/Schwanden, Schwandenlouenen, 650–700 m, SW    | 25–50 | 2.80 | 2.60 | 2.40 |
|  | 30–60 | 3.00 | 2.80 | 2.60 |

### TILIA PLATYPHYLLOS – Sommerlinde – Tilleul à grandes feuilles (e)

|  |       |      |      |      |
|--|-------|------|------|------|
| S/a BE/Twann, St.Petersinsel, 430–470 m, NW  | 15–30 | 2.30 | 2.10 | 2.00 |
| A/a AG/Oberhof, Chäzeler, 560–590 m, Kalk, E | 15–30 | 2.30 | 2.10 | 2.00 |
|  | 20–40 | 2.50 | 2.30 | 2.10 |
| D/Nagold, 400–600 m                          | 25–50 | 2.80 | 2.60 | 2.40 |

### ULMUS CARPINIFOLIA/MINOR CAMPESTRIS – Feldulme – Orme champêtre (e)

|  |        |      |      |      |
|--|--------|------|------|------|
| Q/u BE/Dotzigen, Eichlibach, 430 m, Schotter, NW | 40–70  | 2.30 | 2.10 | 2.00 |
|  | 60–100 | 2.60 | 2.30 | 2.20 |

### ULMUS GLABRA – Bergulme – Orme de montagne (e)

|                  |       |      |      |      |
|------------------|-------|------|------|------|
| D/Süddeutschland | 30–60 | 2.30 | 2.10 | 2.00 |
|------------------|-------|------|------|------|

### ULMUS LAEVIS – Flatterulme – Orme lisse (e)

|                                      |       |      |      |      |
|--------------------------------------|-------|------|------|------|
| S/u BE/Wohlen, SPL-Wölfisried, 430 m | 40–70 | 2.30 | 2.10 | 2.00 |
|                                      | 50–80 | 2.40 | 2.10 | 2.00 |